

Harmony System

Bibliography

1. Rosenblatt N J, Ehrhardt T. The effect of vacuum assisted socket suspension on prospective, community-based falls by users of lower limb prostheses *Gait & Posture*. 2017;55:100-103. <http://www.sciencedirect.com/science/article/pii/S096663621730111X>
2. Gholizadeh H, Lemaire ED, Eshraghi A. The evidence-base for elevated vacuum in lower limb prosthetics: Literature review and professional feedback. *Clin Biomech (Bristol, Avon)*. 2016 Aug;37:108-16. doi: 10.1016 / j.clinbiomech. 2016.06.005. Review <https://www.ncbi.nlm.nih.gov/pubmed/27423025>
3. Safari MR, Meier MR. Systematic review of effects of current transtibial prosthetic socket designs--Part 2: Quantitative outcomes. *J Rehabil Res Dev*. 2015;52(5):509-26. doi: 10.1682/JRRD.2014.08.0184. <http://www.rehab.research.va.gov/jour/2015/525/JRRD-2014-08-0184.html>
4. Safari MR, Meier MR. Systematic review of effects of current transtibial prosthetic socket designs--Part 1: Qualitative outcomes. *J Rehabil Res Dev*. 2015;52(5):491-508. doi: 10.1682/JRRD.2014.08.0183. <http://www.rehab.research.va.gov/jour/2015/525/JRRD-2014-08-0183.html>
5. Samitier BC, Guirao L, Costea M, Camós JM, Pleguezuelos E. Hospital de Mataró, Barcelona, Spain. The benefits of using a vacuum-assisted socket system to improve balance and gait in elderly transtibial amputees. *Prosthet Orthot Int*. 2014 Sep 26. pii: 0309364614546927. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/25261489>
6. Kahle JT, Orriola JJ, Johnston W, Highsmith MJ. The effects of vacuum-assisted suspension on residual limb physiology, wound healing, and function: A systematic review. *Technol Innov*. 2014; 1(15): 333-341. <http://www.ingentaconnect.com/content/cog/ti/2014/00000015/00000004/art00009>
7. Kahle JT, Highsmith MJ. Transfemoral interfaces with vacuum assisted suspension comparison of skeletal kinematics, pressure and preference: Ischial containment versus brimless. *J Rehabil, Res, Dev*. 2013; 50(9): 1241-1252. <http://www.rehab.research.va.gov/jour/2013/509/jrrd-2012-01-0003.html>
8. Kahle JT, Highsmith MJ. Transfemoral sockets with vacuum-assisted suspension comparison of hip kinematics, socket position, contact pressure, and preference: Ischial containment versus brimless. *J Rehabil Res Dev*. 2013; 50(9):1241-52. <http://dx.doi.org/10.1682/JRRD.2013.01.0003>

Harmony System

Bibliography

9. Hoskins RD, Sutton EE, Kinor D, Schaeffer JM, Fatone S. Using vacuum-assisted suspension to manage residual limb wounds in persons with Transtibial amputation: A case series. *POI*. 2013;05 DOI:10.1177/0309364613487547
http://www.researchgate.net/publication/236920322_Using_vacuum-assisted_suspension_to_manage_residual_limb_wounds_in_persons_with_transtibial_amputation_A_case_series

10. Trallesi M, Delussu AS, Fusco A, et al. Residual limb wounds or ulcers heal in transtibial amputees using an active suction socket system. A randomized controlled study. *Eur J Phys Rehab Med* 2012;48:1-2. <http://www.ncbi.nlm.nih.gov/pubmed/22641248>

11. Ferraro C. Outcomes study of transtibial amputees using elevated vacuum suspension in comparison with pin suspension. *JPO* 2011;23(2):78-81.
http://journals.lww.com/jpojournal/Abstract/2011/04000/Outcomes_Study_of_Transtibial_Amputees_Using.7.aspx

12. Gerschutz MJ, Denune JA, Colvin JM, and Schober G. Elevated vacuum suspension influence on lower limb amputee's residual limb volume at different vacuum pressure settings. *JPO* 2010;22(4):252-256.
[http://courses.washington.edu/rehab427/Fall%202010/Student%20Papers%20for%20Review/Phil%20-%20Gerschutz%20\(2010\).pdf](http://courses.washington.edu/rehab427/Fall%202010/Student%20Papers%20for%20Review/Phil%20-%20Gerschutz%20(2010).pdf)

13. Gerschutz MJ, Haynes ML, Colvin JM, Nixon D, Denune JA, and Schober G. A vacuum suspension measurement tool for use in prosthetic research and clinical outcomes: Validation and analysis of vacuum pressure in a prosthetic socket. *JPO* 2010;22(3): 172-176.
http://journals.lww.com/jpojournal/Fulltext/2010/07000/A_Vacuum_Suspension_Measurement_Tool_for_Use_in.8.aspx?WT.mc_id=HPxADx20100319xMP

14. Trallesi M, Aversa T, Delussu AS, et al. Trans-tibial prosthesization in large area of residual limb wound: is it possible? A case report. *Disabil Rehabil Assist Technol* 2009;4:373-375.
<http://www.hsantalucia.it/ric/attivita2009/AutoPlay/Docs/I%20pagine%20pubblicazioni/295-Trans-tibial%20prosthesization.pdf>

15. Brunelli S, Aversa T, Delusso S, et al. Vacuum assisted socket system in trans-tibial amputees: Clinical report. *The Orthopadie Technik*, 2009;2:2-8. http://www.ot-forum.de/verlag_ot/otquarterly/e30554/infoboxContent30555/OT_Quarterly_2_09_72_dpi_g er.pdf

Harmony System

Bibliography

- 16.** Fairley M. ‘Hanging Tight’: elevated vacuum suspension systems step forward. The O&P Edge, March 2008. http://www.oandp.com/articles/2008-03_03.asp
- 17.** Street G. Vacuum suspension and its effects on the limb. The Orthopadie Technik, 2006;4:1–4
http://www.ottobockus.com/cps/rde/xbcr/ob_us_en/Street-0661_OT_GB.pdf
- 18.** Beil TL, Street GM. Comparison of interface pressures with pin and suction suspension systems. J Rehabil Res Dev 2004;41:821–828.
<http://www.rehab.research.va.gov/jour/04/41/6/pdf/Beil.pdf>
- 19.** Goswami J, Lynn R, Street G, Harlander M: Walking in a vacuum-assisted socket shifts the stump fluid balance Prosthet Orthot Int 2003;27(2):107-113
http://www.ottobockus.com/cps/rde/xbcr/ob_us_en/harmony_article_1.pdf
- 20.** Beil TL, Street GM, Covey SJ. Interface pressures during ambulation using suction and vacuum-assisted prosthetic sockets. J Rehabil Res Dev 2002;39(6):693-700.
<http://www.rehab.research.va.gov/jour/02/39/6/pdf/Beil.pdf>
- 21.** Board WJ, Street GM, Caspers C A comparison of trans-tibial amputee suction and vacuum socket conditions. Prosthet Orthot Int 2001;25:202-209
http://www.ottobockus.com/cps/rde/xbcr/ob_us_en/harmony_article_3.pdf