

bebionic® Order Form

Contact	<input type="text"/>	Customer number	<input type="text"/>	Date	<input type="text"/>
Customer			Shipping address (if different from customer address)		
Company	<input type="text"/>		Company	<input type="text"/>	
Street	<input type="text"/>		Street	<input type="text"/>	
Zip code/city	<input type="text"/>	<input type="text"/>	Zip code/city	<input type="text"/>	<input type="text"/>
Email	<input type="text"/>		Phone	<input type="text"/>	

Once this form is complete, please send to Ottobock via fax or email.

Order Quote Only

For clinical questions, call 800 328 4058.

Patient Information

Name Initial myoelectric prosthetic fitting

Gender Male Female Follow-up prosthetic fitting

Amputation side Left Right Serial number of the previous hand:

Amputation level Wrist Disarticulation Transradial Shoulder Disarticulation Other:

bebionic Hand Selection



1 System: bebionic hand with EQD wrist (quick disconnect)

Article no.	Side	Size	Color
8E70=L-S-*	Left (L)	Small	Black <input type="checkbox"/> White
8E70=L-M-B	Left (L)	Medium	Black
8E70=R-S-*	Right (R)	Small	<input type="checkbox"/> Black White
8E70=R-M-B	Right (R)	Medium	<input type="checkbox"/> Black

Notice: B = Black, W = White



2 System: bebionic hand with short wrist

Article no.	Side	Size	Color
8E71=L-S-*	Left (L)	Small	Black White
8E71=L-M-B	Left (L)	Medium	Black
8E71=R-S-*	Right (R)	Small	Black White
8E71=R-M-B	Right (R)	Medium	Black

Notice: B = Black, W = White



3 System: bebionic hand with flexion wrist (three-stage wrist)

Article no.	Side	Size	Color
8E72=L-S-*	Left (L)	Small	Black White
8E72=L-M-B	Left (L)	Medium	Black
8E72=R-S-*	Right (R)	Small	Black White
8E72=R-M-B	Right (R)	Medium	Black

Notice: B = Black, W = White

bebionic®

Order Form

Additional components

Hand adapter

Article no.	Description
10S1=45	Lamination ring for SM hands (diameter: 45 mm)
10S1=50	Lamination ring for MD hands (diameter: 50 mm)
13E190	Switchblock (only for short wrist)
13E190=150	Switchblock (only for short wrist)

Passive rotation

Article no.	Description
10S4	Coupling piece
9E169	Coaxial plug

Active rotation

Article no.	Description
10S17	Electric rotator
13E205	MyoRotronic

bebionic Skin Silicone glove

Article no.	Side	Size	Color
8S711	Left (L)	S	02 03 04
	Right (R)	M	06 09 11
		L	14 16
8S710 (black)	Left (L)	S	20
	Right (R)	M	
		L	
646M82	bebionic glove swatch		

Battery management

Article no.	Description	Qty
757L35	MyoCharge Integral	
757B35=	MyoEnergy Integral	
	-3 1,150 mAh	
	-5 3,450 mAh	

Care Package Extended Warranties for the bebionic (optional)

Article no.	Description
SP-8E7=3+2-CP	Warranty extension to 5 years (purchased when extending from 3-yr warranty)
SP-8E7=3-CP	3-yr Care Package extended warranty
SP-8E7=5-CP	5-yr Care Package extended warranty

Optional accessories

Article no.	Description	Qty
640F12	Special cleaner (for glove)	
640F13	Pump sprayer	
OC1560=TR	Donning sheath	
OC1560=TH	Donning sheath	
OC1560=Kids	Donning sheath	
BB33061	Bluetooth Dongle	
560X12=V1.4	bebalance+ Software	
12V10	Tube valve	
99B13=21	PVC connection tube	

Control Method

1. Standard 2-Site

Article no.	Description	Qty
13E200=60	Standard electrodes	
13E202=60	Suction socket electrodes	

Electrode cable*

Article no.	Cable length	Qty
13E129	G300 G600 G1,000	

2. Myo Plus Pattern Recognition

Article no.	Description	Qty
13E520	Myo Plus TR	

13E400=* Remote electrode

Article no.	Description	Sensors	Length	Frequency	Qty
13E400=G90	Remote electrode	2-Button	90 mm	60 Hz	
13E400=G140	Remote electrode	2-Button	140mm	60 Hz	

Notice: Six of the 13E400=* remote electrodes are required per fitting.

13E401=* Remote electrode

Article no.	Description	Sensors	Length	Frequency	Qty
13E401=G90	Remote electrode	3-Button	90 mm	60 Hz	
13E401=G140	Remote electrode	3-Button	140mm	60 Hz	

Notice: Two of the 13E401=* remote electrodes are required per fitting. 3 Button electrode includes two sensors and 1 ground.

Electrode dome

Article no.	Description	Qty
13Z161	Electrode dome, flat, height: 2.2 mm	
13Z162	Electrode dome, medium, height: 3.5 mm	
13Z163	Electrode dome, high, height: 4.2 mm	

Notice: 1 dome per electrode connector is required (up to 18 total)

bebionic® Order Form

Shoulder Disarticulation/Transhumeral Fitting

MovoShoulder Swing

Article no.

12S6 = Right

12S6 = Left

DynamicArm

Article no.

Color

12K100N=45 04 (standard) 07 (black)

12K100N=50 04 (standard) 11 15 07 (black)

DynamicArm Plus

Article no.

Color

12K110N=45 04 (standard) 07 (black)

12K110N=50 04 (standard) 11 15 07 (black)

Carbon shell for Dynamic Arm

Article no.

13Z157=45

13Z157=50

ErgoArm Electronic Plus (Electronic Lock)

Article no.

Color

12K50=45 04 (standard) 07 (black)

12K50=50 04 (standard) 11 15 07 (black)

ErgoArm Hybrid Plus (Mechanical Lock)

Article no.

Color

12K44=45 04 (standard) 07 (black)

12K44=50 04 (standard) 11 15 07 (black)

Active TH Harness

Article no.

Side

Size

21A47=* Left (L) Right (R) S M L

Axilla Loop Only (replacement) for TH soft harness

Side

Size

Left (L) Right (R) S M L

Switches

Article no.

Description

Quantity

9X14 Harness pull switch

9X18 Cable pull switch

9X25 Rocker switch

9X37 Pressure switch

13E99=1200 Connection cable

Other